

Dell 407-BBOZ Datablad



Dell 407-BBOZ-netværk, transceiver, 40GbE QSFP+ SR4-optik, MPO, 850nm bølglængde, 100-150 meter rækkevidde på OM3/OM4

407-BBOZ

Dell™ QSFP+ transceiveren leverer fiberforbindelse for at udvide rækkevidden af dit netværk. Denne hot-pluggable transceiver med QSFP+ (Quad Form Factor Pluggable) fodaftryk har et MPO-12-stik. Dell netværks 40 GBase-SR4 QSFP+ transceiver giver 40 GbE tilslutningsmuligheder op til 100-150 m.

Derudover giver den en unik forbedret digital diagnostisk overvågningsgrænseflade, som giver realtidsadgang til enhedens driftsparametre såsom transceivertemperatur, laserforspændingsstrøm, transmitteret optisk effekt, modtaget optisk effekt og transceiverforsyningsspænding.

Dell™ SFP+ transceiveren leverer fiberforbindelse for at udvide rækkevidden af dit netværk. Denne hot-pluggable transceiver med SFP+ (Quad Form Factor Pluggable) fodaftryk har et MPO-stik. Dell-netværket 40GBase-SR4 SFP+ transceiver giver 40GbE tilslutningsmuligheder op til 150 m .

Derudover giver den en unik forbedret digital diagnostisk overvågningsgrænseflade, som giver realtidsadgang til enhedens driftsparametre såsom transceivertemperatur, laserforspændingsstrøm, transmitteret optisk effekt, modtaget optisk effekt og transceiverforsyningsspænding.

specifikationer

- Producentens del #: VJW01
- Dell delnummer: 407-BBOZ
- Enhedstype: QSFP+ transceivermodul
- Form Factor: Plug-in modul
- Forbindelsesteknologi: Kablet
- Kabeltype: 40GBASE-SR
- Data Link Protocol: 40 Gigabit LAN
- Dataoverførselshastighed: 40 Gbps
- Optisk bølgelængde: 850 nm
- Maks. overførselsafstand: 492 fod

Kompatibilitet

Denne 407-BBOZ er kompatibel med følgende systemer:

- OptiPlex GX260 DT
- PowerEdge R900
- PowerEdge R200
- PowerEdge M1000e
- PowerEdge R300
- PowerEdge R805
- PowerEdge R905
- PowerEdge R610
- PowerEdge R710
- PowerEdge T610
- PowerEdge R410
- PowerEdge T410
- PowerVault NX3000
- PowerEdge T710
- PowerVault DL2100
- PowerEdge R510

- PowerEdge R810
- PowerEdge R910
- PowerEdge R815
- PowerEdge R715
- PowerVault DL2200
- PowerEdge R515
- PowerEdge R415
- PowerEdge R720
- PowerEdge R720xd
- PowerEdge R620
- PowerEdge T620
- PowerEdge R820
- PowerEdge T420
- PowerEdge R320
- PowerEdge R520
- PowerEdge R420
- PowerVault NX3200
- PowerVault NX3300
- PowerVault NX400
- PowerConnect 8100
- PowerVault DR4100
- PowerEdge R220
- PowerEdge R920
- PowerEdge R630
- PowerEdge R730
- PowerEdge T630
- PowerEdge R430
- PowerEdge R530
- PowerEdge T430
- PowerEdge C4130
- PowerEdge FC620
- PowerEdge FC420
- PowerEdge FC630
- Dell Networking S4810-ON
- Dell Networking S5000
- Dell Networking N4000-serien
- Dell Networking N4032

- Dell Networking N4032F
- Dell Networking N4064
- Dell Networking N4064F
- PowerConnect 8100-serien
- PowerEdge FC430
- PowerEdge FC830
- PowerEdge R930
- PowerEdge R230
- PowerEdge R330
- PowerEdge T330
- PowerEdge T130
- PowerEdge R730xd XL
- PowerEdge C6320
- PowerEdge R830
- Dell Networking S4048-ON
- Dell Networking Z9100
- Dell Networking S6100
- Dell Networking S4048T-ON
- PowerEdge R640
- PowerEdge R740
- PowerEdge R940
- PowerEdge R740XD
- PowerEdge C6420
- PowerEdge R440
- PowerEdge T640
- PowerEdge T440
- PowerEdge FC640
- PowerEdge M640
- PowerEdge M640 VRTX
- PowerEdge R540
- PowerEdge C4140
- PowerEdge R6415
- PowerEdge R7415
- PowerEdge R7425
- PowerEdge R840
- PowerEdge R940xa
- Dell Networking S5232F-ON

- PowerEdge R240
- PowerEdge R340
- PowerEdge R740xd2
- PowerEdge T340
- PowerEdge T140
- Dell Networking S5296F-ON
- PowerEdge XR2
- Dell Networking S5248F-ON
- Dell Networking S5212F-ON
- Dell Networking S5224F-ON
- PowerVault NX440
- Dell Networking N3132PX-ON
- Dell Networking N2200-ON

[Køb nu](#)